

Material Safety Data Sheet

Phosphoric Acid

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Phosphoric Acid

Synonyms/Generic Names: Orthophosphoric Acid.

Product Use: Industrial, Manufacturing or Laboratory use

Manufacturer: Columbus Chemical Industries, Inc.

N4335 Temkin Rd. Columbus, WI. 53925

For More Information Call: 920-623-2140 IN CASE OF EMERGENCY CALL: CHEMTREC

(Monday – Friday 8:00-4:30) (24 Hours/Day, 7 Days/Week) 800-424-9300

2. COMPOSITION/INFORMATION ON INGREDIENTS

Weight %	Component	CAS#	EINECS# / ELINCS#	Classification*
85%	Phosphoric Acid	7664-38-2	231-633-2	C; R34, **

^{*}Symbol and R phrase according to EC Annex1

3. HAZARDS IDENTIFICATION

Clear, colorless solution with caustic odor.

R34 - Causes burns.

S1/2, S26, S45

Routes of Entry: Skin, eyes, inhalation and ingestion.



^{**} Subject to the reporting requirements of SARA Title III Section 313

Ingredients found on carcinogen lists:

INGREDIENT NAME NTP STATUS IARC STATUS OSHA LIST ACGIH

Phosphoric Acid Not Listed Not Listed Not Listed Not Listed

4. FIRST AID INFORMATION

Inhalation: Inhalation of mists can cause corrosive action on mucous membranes. Symptoms include

burning, choking, coughing, wheezing, laryngitis, shortness of breath, headache or nausea. Move casualty to fresh air and keep at rest. Get medical attention if symptoms persist.

Eyes: Symptoms include eye burns, watering eyes. Rinse with plenty of water for a minimum of 15

minutes and seek medical attention immediately.

Skin: Symptoms include burning, itching, redness, inflammation and/or swelling of exposed tissues.

Immediately flush with plenty of water for at least 15 minutes while removing contaminated

clothing and wash using soap. Get medical attention if necessary.

Ingestion: Do Not Induce Vomiting! Causes corrosive burns of the mouth, gullet and gastrointestinal tract

if swallowed. Symptoms include burning, choking, nausea, vomiting and severe pain. Wash out

mouth with water and give a glass of water or milk. Get medical attention immediately.

5. FIRE-FIGHTING MEASURES

FLAMMABLE PROPERTIES:

Flash Point:

Flash Point method:

Autoignition Temperature:

Upper Flame Limit (volume % in air):

Lower Flame Limit (volume % in air):

Not Applicable

Not Applicable

Not Applicable

Extinguishing Media: Product is not flammable. Use appropriate media for adjacent fire. Cool containers with water, keep away from common metals.

Special fire-fighting procedures: Wear self-contained, approved breathing apparatus and full protective clothing, including eye protection and boots.

Hazardous combustion products: Emits toxic fumes under fire conditions. (See also Stability and Reactivity section).

Unusual fire and explosion hazards: Material can react with metals to produce flammable hydrogen gas. Forms flammable gases with aldehydes, cyanides, mercaptins, and sulfides.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: See section 8 for recommendations on the use of personal protective equipment.

Environmental precautions: Cleanup personnel need personal protection from inhalation and skin/eye contact. Evacuate and ventilate the area. Prevent spillage from entering drains. Cautiously add water to spill, taking care to avoid splashing and spattering. Neutralize diluted spill with soda ash or lime. Absorb neutralized spill with vermiculite or other inert absorbent material, then place in a suitable

container for disposal. Clean surfaces thoroughly with water to remove residual contamination. Any release to the environment may be subject to federal/national or local reporting requirements. Dispose of all waste or cleanup materials in accordance with local regulations. Containers, even when empty, will retain residue and vapors.

7. HANDLING AND STORAGE

Normal handling: See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use.

Storage: Store in cool, dry well ventilated area. Keep away from incompatible materials (see section 10 for incompatibilities). Drains for storage or use areas for this material should have retention basins for pH adjustment and dilution of spills.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls: (consult local authorities for acceptable exposure limits)

Chemical name	Regulatory List	Value and type
Phosphoric Acid	UK OES STEL USA OSHA PEL STEL USA ACGIH TLV STEL USA OSHA PEL STEL USA NIOSH REL STEL Mexico PEL STEL OSHA IDLH France VME France VLE (STEL)	1 mg/m ³ 3 mg/m ³ (10 minutes) 1 mg/m ³ 3 mg/m ³ (15 minutes) 1000 mg/m ³ 1 mg/m ³ 3 mg/m ³ (15 minutes)
	STEL USA OSHA PEL STEL USA NIOSH REL STEL Mexico PEL STEL OSHA IDLH	3 mg/m³ (15 minutes) 1 mg/m³ 3 mg/m³ (15 minutes) 1 mg/m³ 3 mg/m³ (15 minutes) 1 mg/m³ 3 mg/m³ (15 minutes) 1000 mg/m³

TWA: Time Weighted Average over 8 hours of work. TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health

Ventilation: Provide local exhaust, preferably mechanical.

Respiratory protection: If necessary use an approved respirator with acid vapor cartridges.

Eye protection: Wear chemical safety glasses with a face shield for splash protection.

Skin and body protection: Wear neoprene or rubber gloves, apron and other protective clothing appropriate to the risk of exposure.

Other Recommendations: Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling. Have supplies and equipment for neutralization and running water available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless, viscous liquid

Physical state:

Odor:

Odor Threshold:

Specific Gravity:

Liquid

Acidic

Not Available

1.6900

pH: 1

Melting Point/Freezing Point: 42°C (108°F)
Boiling Point/Range: 213°C (415°F)

Flammability: Not Flammable (See section 5)
Flash point: Not Flammable (See section 5)

Evaporation Rate (Butyl Acetate =1): Not Available

Explosive Limits: Not Explosive (See section 5)

Vapor Pressure (at 20°C): 0.03 mmHg

Vapor Density (air =1): 3.4

Solubility: Completely soluble in water

Partition coefficient/n-octanol/water:

% Volatile:

Autoignition Temperature:

Not Available
See section 5

10. STABILITY AND REACTIVITY

Stability: Stable

Conditions to avoid: Incompatible materials.

Incompatibility: Bases, combustible material, metals.

Hazardous decomposition products: Phosphorus oxides.

Hazardous polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Effects: See section 4 for symptoms of exposure and effects. Likely routes of exposure are skin, eyes

and inhalation.

Target organs: Blood, liver, skin, eyes and bone marrow.

Acute Toxicity Data:

Phosphoric acid LD50 [oral, rat]; 1530 mg/kg

LC50 [rabbit]; 1.689 mg/L (1 hour) LD50 Dermal (rabbit); 2740 mg/kg

Chronic Effects: May affect liver, conjunctivitis, dermatitis, pulmonary edema.

Teratogenicity: Negative Mutagenicity: Negative Embryotoxicity: Negative

Synergistic Products/Effects: Not Available

12. ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial): DL50 12 hours @ pH of 3 - 3.5

DL50 (12 hours): pH 4.6 (Daphnia Magna)

Persistence and Degradability: Not Available

Bioaccumulative Potential: Not Available

Mobility in Soil: Not Available

Other Adverse Effects: Not Available

13. DISPOSAL CONSIDERATIONS

RCRA:

Hazardous waste? Yes RCRA ID number: DOO2

Waste Residues: Carefully dilute with water, neutralize per spill procedures in section 6. Neutralized material may be flushed to sewer (REGULATIONS PERMITTING!) or disposed of through a licensed contractor. Users should review their operations in terms of the applicable federal/nation or local regulations and consult with appropriate regulatory agencies before discharging or disposing of waste material.

Product containers: Containers, if thoroughly cleaned, preferably by rinsing three times and handling the rinse water as waste residues, may be disposed of or recycled as non-hazardous waste. Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies before discharging or disposing of waste material.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

14. TRANSPORTATION INFORMATION

DOT: UN1805, Phosphoric Acid solution, 8, pg III

TDG: UN1805, Phosphoric Acid liquid, 8, pg III

PIN: Not Available

IDMG: UN1805, 8, pg III Marine Pollutant: No

IATA/ICAO: UN1805, 8, pg III

RID/ADR: Class 8, Item 17(c), corrosive, UN1805

15. REGULATORY INFORMATION

TSCA Inventory Status: All ingredients are listed on the TSCA inventory.

Federal and State Regulations:

Illinois toxic substances disclosure to employee act: Phosphoric acid

Illinois chemical safety act: Phosphoric acid New York release reporting list: Phosphoric acid

Rhode Island RTK hazardous substances: Phosphoric acid

Pennsylvania RTK: Phosphoric acid

Minnesota: Phosphoric acid

Massachusetts RTK: Phosphoric acid Massachusetts spill list: Phosphoric acid

New Jersey: Phosphoric acid

New Jersey spill list: Phosphoric acid Louisiana spill reporting: Phosphoric acid

California Director's list of hazardous substances: Phosphoric acid

SARA 302/304/311/312 extremely hazardous substances: Phosphoric Acid SARA 313 toxic chemical notification and release reporting: Phosphoric Acid

CERCLA: Hazardous Substances: Phosphoric Acid, 5000lbs.

California Proposition 65: No

WHMIS Canada: Class E - corrosive liquid. DSCL (EEC): R34 – Causes burns.


HMIS (U.S.A.)

Health Hazard	3
Fire Hazard	0
Reactivity	0

National Fire Protection

Association (U.S.A.)

Flammability



Specific hazard

Protective Equipment:







ADR (Europe):



TDG (Canada):



DSCL (Europe):



1. OTHER INFORMATION

Current Issue Date: November 30, 2005

Previous Issue Date: N/A

Prepared by: Sherry Brock (920) 623-2140

Disclaimer: Columbus Chemical Industries, Inc. ("Columbus") believes that the information herein is factual but is not intended to be all inclusive. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Because safety standards and regulations are subject to change and because Columbus has no continuing control over the material, those handling, storing or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state and local law. COLUMBUS MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE.